



March 27, 2018

Demetrios Kouzoukas  
Principal Deputy Administrator & Director of the Center for Medicare  
Centers for Medicare and Medicaid Services  
7500 Security Boulevard  
Baltimore, MD 21244

Dear Principal Deputy Administrator Kouzoukas:

The Diabetes Advocacy Alliance (DAA) is writing to share several recommendations to reduce barriers and improve utilization of diabetes self-management training (DSMT) in Medicare and to once again urge CMS to address barriers to DSMT in the upcoming CY 2019 Medicare Physician Fee Schedule (MPFS) proposed rule due out this summer. As you know, CMS called attention to the under-utilization of the DSMT benefit in the CY 2017 MPFS proposed rule and solicited feedback on barriers to access. The DAA has shared our recommendations with CMS in writing and has had several meetings with CMS officials including the Coverage and Analysis Group and Hospital & Ambulatory Policy Group on this topic. Improving access and utilization to DSMT for Medicare beneficiaries aligns with CMS' goals of paying for value and empowering individuals.

The DAA is a coalition of 24 diverse member organizations, representing patient, professional and trade associations, other non-profit organizations, and corporations, all united in the desire to change the way diabetes is viewed and treated in America. Since 2010, the DAA has worked to increase awareness of, and action on, the diabetes epidemic among legislators and policymakers. The organizations that comprise the DAA share a common goal of elevating diabetes on the national agenda so we may ultimately defeat diabetes.

### **Importance of DSMT**

Diabetes is a complex disease that requires ongoing self-management by patients, including making numerous decisions throughout the day, as part of their management and treatment regimen. Diabetes self-management training (DSMT) is an evidence-based service that teaches people with diabetes how to effectively self-manage their diabetes and cope with the disease. The service, covered by Medicare Part B and most private health insurance plans, includes teaching the person with diabetes how to self-manage healthy eating, physical activity, monitoring blood glucose levels and using the results for self-management decision making, adhering to medications, coping and problem solving with every day struggles to help reduce risks for diabetes complications. A patient-centered approach to care is vital for DSMT.

The benefits of DSMT are undisputed. Studies have found that DSMT is associated with improved diabetes knowledge and self-care behaviors, lower hemoglobin A1c, lower self-reported weight, improved quality of life, healthy coping and reduced health care costs.<sup>1</sup> The Diabetes Self-Management Education and Support

---

<sup>1</sup> American Diabetes Association. Standards of Medical Care in Diabetes – 2017. Diabetes Care 2017; 40 (Suppl.1): S34.

algorithm of care, recommended in a joint position statement of the American Diabetes Association, American Association of Diabetes Educators, and Academy of Nutrition and Dietetics, defines four critical points of time for Diabetes Self-Management Education and Support delivery: at diagnosis; annually for assessment of education, nutrition and emotional needs; when complicating factors arise that influence self-management; and when transition in care occur.<sup>2</sup> Unfortunately, despite its critical importance for people with diabetes and the fact that DSMT has been a covered benefit under Medicare for over 15 years, a recent study found only five percent of Medicare beneficiaries with newly diagnosed diabetes used DSMT services.<sup>3</sup> According to another source, among fee-for-service Medicare beneficiaries age 65 and older with diagnosed diabetes, only 1.7% had a Medicare claim for DSMT in 2012.<sup>4</sup>

CMS highlighted the “significant underutilization” of DSMT in the CY 2011 MPFS, in which the agency noted the effectiveness of DSMT services and the importance of facilitating access to DSMT. In July 2016, as part of the proposed CY 2017 MPFS rule, CMS once again highlighted the low utilization of DSMT and solicited public comment on barriers contributing to access and the under-utilization of the benefit. The DAA provided comments to the agency and commended CMS for recognizing the alarmingly low utilization of this critically important benefit.

### **Policy Recommendations**

Ensuring that Medicare beneficiaries with diabetes understand that DSMT is a covered benefit and utilize this benefit is a priority for the DAA and we look forward to exploring ways we can partner with CMS to advance this goal. From the DAA’s perspective, in order to improve DSMT access and utilization rates, several critical barriers must be addressed. The DAA recommends the following:

- Extend the initial 10 hours of DSMT covered by Medicare beyond the first year until fully utilized and cover additional hours based on individual need;
- Allow medical nutrition therapy (MNT) and DSMT to be provided on the same day;
- Remove patient cost-sharing;
- Broaden which providers can refer to DSMT beyond the provider managing the beneficiary’s diabetes to include other providers caring for the patient; and
- Clarify agency policy that hospital outpatient department based DSMT programs can expand to community based locations, including alternate non-hospital locations.

We urge CMS to address barriers to DSMT in the upcoming 2019 Medicare Physician Fee Schedule proposed rule. Attached you will find the DAA’s regulatory statement on “Diabetes Self-management Training: Reducing Barriers and Improving Utilization,” which provides additional background.

---

<sup>2</sup> Powers MA, Bardsley J, Cypress M, et al. Diabetes self-management education and support in type 2 diabetes; a joint position statement of the American Diabetes Association, American Association of Diabetes Educators, and the Academy of Nutrition and Dietetics. *Diabetes Care* 2015;38:1372-1382.

<sup>3</sup> Strawbridge LM, Lloyd JT, Meadow A, et al. Use of medicare’s diabetes self-management training benefit. *Health Education Behavior* 2015;42:530-8.

<sup>4</sup> Statistic from Health Indicators Warehouse. Available at: [https://www.healthindicators.gov/Indicators/Diabetesmanagement-benefit-use-diabetic-older-adults-percent\\_1263/Profile/ClassicData](https://www.healthindicators.gov/Indicators/Diabetesmanagement-benefit-use-diabetic-older-adults-percent_1263/Profile/ClassicData)

If you have any questions or need additional information, please free to contact one of the DAA's Co-chairs: Meghan Riley at [mriley@diabetes.org](mailto:mriley@diabetes.org); Karin Gillespie at [kgil@novonordisk.com](mailto:kgil@novonordisk.com); or Dr. Henry Rodriguez at [hrodrig1@health.usf.edu](mailto:hrodrig1@health.usf.edu).

Sincerely,

Academy of Nutrition and Dietetics  
American Association of Clinical Endocrinologists  
American Association of Diabetes Educators  
American Clinical Laboratory Association  
American College of Preventive Medicine  
American Diabetes Association  
American Medical Association  
American Optometric Association  
Diabetes Patient Advocacy Coalition  
Endocrine Society  
Healthcare Leadership Council  
National Council on Aging  
National Kidney Foundation  
Novo Nordisk, Inc.  
Pediatric Endocrine Society